## New Code Request / Code Change Request

UN LOG:		
UN DATE :		
Requester (*):	Daniel Vinz	
EP LOG :		
EP DATE :		
User ref (*):	BIGB024	
User date:	2020-01-15	

Originator (*):	DiplIng. Werner Majer	
Company (*):	Bundesinnung für das Gerüstbauer Handwerk	
Address:	Rösrather Straße 645	
Email (*):	w.majer@geruestbauhandwerk.de	
Phone	+49 (0)221 / 7060-80	
+country code:		

Code Name (*):	Piece Month	
Code TAG (*):	НМО	
Action (*):	ADD	
Code definition (*):	Piece Month	
Code Note:	Item: Volume: Start: End: [Months]: BilledQuantity: Unit:	Unit for measuring the item amount and time 20,500 1-1-2020 31-3-2020 3 61,500 <b>piece * month</b>
Based on data element (*):		
Based on composite:		
Based on segment:		
Based on message (*):		
Based on Directory:		
Target Directory:		
Code category (*):		

Business	Code required in Germany by official regulations, DIN 18451.
Need/justification (*) :	

(\*) Mandatory fields

## Guidance on filling in DMR forms

## Example:

## New Code Request / Code Change

UN Log: (Assigned by UN)       'UN' log number assigned to the DMR. (e.g. UN-99-0011)         UN Date: (Assigned by UN)       Date the DMR was logged by the 'UN'. (e.g. 1999-01-03)         Requester: (Assigned by Requester)       EWG Development Group to which the Requester is a member. (e.g. D14)         EP Log: (Assigned by 'Entry Point')       'Entry Point' log number assigned to the DMR. (e.g. WE-01000)         EP Date: (Assigned by 'Entry Point')       'Entry Point'. (e.g. 1999-01-19)         User ref: (Assigned by Requester)       Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)         User date: (Assigned by Requester)       Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)         Originator: (Assigned by Requester)       Name of requesting party         Address: (Assigned by Requester)       Company of requesting party         Phone + Country code       Phone number (including country
(e.g. UN-99-0011)UN Date: (Assigned by UN)Date the DMR was logged by the 'UN'. (e.g. 1999-01-03)Requester: (Assigned by Requester)EWG Development Group to which the Requester is a member. (e.g. D14)EP Log: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting party Address: (Assigned by Requester)Address: (Assigned by Requester)Address of requesting partyPhone + Country codePhone number (including country
UN Date: (Assigned by UN)Date the DMR was logged by the 'UN'. (e.g. 1999-01-03)Requester: (Assigned by Requester)EWG Development Group to which the Requester is a member. (e.g. D14)EP Log: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyAddress: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
'UN'. (e.g. 1999-01-03)Requester: (Assigned by Requester)EWG Development Group to which the Requester is a member. (e.g. D14)EP Log: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyOriginator: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyPhone + Country codePhone number (including country
(e.g. 1999-01-03)Requester: (Assigned by Requester)EWG Development Group to which the Requester is a member. (e.g. D14)EP Log: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyOriginator: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Company of requesting partyPhone + Country codePhone number (including country
Requester: (Assigned by Requester)       EWG Development Group to which the Requester is a member. (e.g. D14)         EP Log: (Assigned by 'Entry Point')       'Entry Point' log number assigned to the DMR. (e.g. WE-01000)         EP Date: (Assigned by 'Entry Point')       Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)         User ref: (Assigned by Requester)       Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)         User date: (Assigned by Requester)       Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)         Originator: (Assigned by Requester)       Name of requesting party         Company: (Assigned by Requester)       Company of requesting party         Address: (Assigned by Requester)       Email address of requesting party         Phone + Country code       Phone number (including country
Requester)the Requester is a member. (e.g. D14)EP Log: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyOriginator: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
Requester)the Requester is a member. (e.g. D14)EP Log: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at 
Requester is a member. (e.g. D14)EP Log: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyCompany: (Assigned by Requester)Name of requesting partyAddress: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
(e.g. D14)EP Log: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyOriginator: (Assigned by Requester)Name of requesting partyAddress: (Assigned by Requester)Company of requesting partyPhone + Country codePhone number (including country
EP Log: (Assigned by 'Entry Point')'Entry Point' log number assigned to the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyCompany: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyPhone + Country codePhone number (including country
the DMR. (e.g. WE-01000)EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyOriginator: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyPhone + Country codePhone number (including country
EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyOriginator: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyPhone + Country codePhone number (including country
EP Date: (Assigned by 'Entry Point')Date the DMR was logged by the 'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyOriginator: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyPhone + Country codePhone number (including country
'Entry Point'. (e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyCompany: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyPhone + Country codePhone number (including country
(e.g. 1999-01-19)User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyCompany: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyPhone + Country codePhone number (including country
User ref: (Assigned by Requester)Reference allocated by the Requester at the time of DMR completion. (e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyCompany: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyEmail: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
(e.g. EEG1. Code Request)User date: (Assigned by Requester)Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyCompany: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyEmail: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
User date: (Assigned by Requester)       Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)         Originator: (Assigned by Requester)       Name of requesting party         Company: (Assigned by Requester)       Company of requesting party         Address: (Assigned by Requester)       Address of requesting party         Email: (Assigned by Requester)       Email address of requesting party         Phone + Country code       Phone number (including country
User date: (Assigned by Requester)       Date allocated by the Requester at the time of DMR completion. (e.g. 1999-03-22)         Originator: (Assigned by Requester)       Name of requesting party         Company: (Assigned by Requester)       Company of requesting party         Address: (Assigned by Requester)       Address of requesting party         Email: (Assigned by Requester)       Email address of requesting party         Phone + Country code       Phone number (including country
the time of DMR completion. (e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyCompany: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyEmail: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
(e.g. 1999-03-22)Originator: (Assigned by Requester)Name of requesting partyCompany: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyEmail: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
Originator: (Assigned by Requester)Name of requesting partyCompany: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyEmail: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
Company: (Assigned by Requester)Company of requesting partyAddress: (Assigned by Requester)Address of requesting partyEmail: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
Address: (Assigned by Requester)Address of requesting partyEmail: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
Email: (Assigned by Requester)Email address of requesting partyPhone + Country codePhone number (including country
Phone + Country code Phone number (including country
(Assigned by Requester) code) of requesting party
Code Name: In a Request for Change, this should
(Assigned by Requester) contain the name as required.
(e.g. Recommended maintenance
quantity)
Code TAG: The 3 digit tag assigned to the code.
(Assigned by Requester) (e.g. ABC)
Action Whether this is an Addition of a new code,
Marking an existing code for deletion, or Changing an existing code.
(e.g. Add)
Code definition: Detailed description of the code name
(Assigned by Requester) (e.g. Recommended quantity of an article which is required to meet an agreed level
of maintenance.)
Based on data element: The data element in which the code is
(Assigned by Requester) to be used.
(e.g. 3035 Party qualifier)
Based on composite: The composite in which the code is to
(Assigned by Requester) be used.
(e.g. C819 Address usage)

Based on segment:	The segment in which the code is to
(Assigned by Requester)	be used.
(Assigned by Requester)	(e.g. NAD Name and Address)
Basad on massage:	The message in which the code is to
Based on message:	U U U U U U U U U U U U U U U U U U U
(Assigned by Requester)	be used.
	(e.g. INFENT Enterprise accounting
Read on Directory	information message) The release of the UN/EDIFACT
Based on Directory:	
(Assigned by Requester)	directory used as the reference for
	producing the DMR.
	(e.g. D99A)
Target Directory:	The UN/EDIFACT directory for which
(Assigned by Requester)	the DMR is to applied.
	(e.g. Batch or Interactive)
Code Category:	Indicate the category into which these
(Assigned by Requester)	code(s) fit.
	1 – Codes related to service data elements
	2 – Codes in the public domain,
	maintained by UN/EDIFACT
	3 – International code lists endorsed
	by UN/ECE
	4 – Other code lists maintained by
	officially recognised organisations
Business Need/justification	The reason why the requester has
(Assigned by Requester)	asked for the code.